REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defensee, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 2202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.				
1. REPORT DATE (DD-MM-YYYY) 10/12/2000 2. REPORT TYPE CONFERENCE PROCEEDING	S	3. DATES COVERED (From - To)		
4. TITLE AND SUBTITLE MEASUREMENT OF PHYSICAL MODEL WAVE DIFFRACTION PATTERNS USING VIDEO	5a. CO	NTRACT NUMBER		
IATIMA OUNG ADDO	5b. GRANT NUMBER			
	5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S) William R. Curtis, Kent Hathaway, William C. Seabergh and K. T. Holland				
	5e. TASK NUMBER			
·	5f. WO	RK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory Marine Geoscience Division Stennis Space Center, MS 39529-5004		8. PERFORMING ORGANIZATION REPORT NUMBER NRL/PP/744000-1005		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office Of Naval Research		10. SPONSOR/MONITOR'S ACRONYM(S) ONR		
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution is unlimited.				
13. SUPPLEMENTARY NOTES	- 2	0010920 084		
14. ABSTRACT The complex interaction of surface waves with coastal inlet structures and inlet morphology is of significant importance to navigation channel operation and maintenance. Wave data in the vicinity of coastal inlets are limited. Where field wave data exist, the temporal and spatial coverage is inadequate to resolve the evolution of wave refraction and diffraction patterns of the free surface. To address the challenge of quantifying variations in wave direction in the coastal system, the US Army Engineer Research and Development Center applied video techniques in a physical model to obtain spatially and temporally dense measurements of wave direction. These measures are required to advance understanding of first-order inlet processes and to use the measurements in numerical simulation model development and verification. In this paper, detailed results are discussed for random and a single monochromatic wave experiments conducted for evaluation of wave diffraction patterns influenced by coastal structures and coastal inlet bathymetry.				
15. SUBJECT TERMS bathymetry, wave data and wave diffraction				
PEPORT IN ARSTRACT OF ABSTRACT OF	R 19a. NA K. T. H	ME OF RESPONSIBLE PERSON Iolland		
Unclassified Unlassified Unclassified 2	1196 TELEPHONE NUMBER (Include area code)			

PUBLICATION OR PRESENTATION RELEASE REQUEST

SSC-130-00

NRLINST 5600.2

1. REFERENCES AND ENCLOSURES 2. TYPE OF PUBLICATION OR PRESENTATION		3. ADMINISTRATIVE INFORMATION		
Ref: (a) NRL Instruction 5600 (b) NRL Instruction 5510 Encl: (1) Two copies of subje paper (or abstract)	O.40D () Book () Book () Conference Proceedings (XI Conference) (not () Invited speaker () Mul	tract only, not published bk Chapter ference Proceedings refereed) timedia report rnal article (not refereed) Presentation, not publis	Route Sheet No. Job Order No. Classification X U C	
4. AUTHOR			And the second s	
Title of Paper or Presentation MEASUREMENT OF PHYSICAL MODEL WAVE DIFFRACTION PATTERNS USING VIDEO				
Author(s) Name(s) (First, Mi, Last), Code, Affiliation if not NRL William R. Curtis (USAE R&D Center, Vicksburg, MS), Kent Hathaway (USAE R&D Center, Kitty Hawk, NC), William C. Seabergh (USAE R&D Center, Vicksburg, MS) and K.T. Holland (NRL Code 7440.3)				
It is intended to offer this	paper to the 4th International Symposium	on Ocean Wave Meas	urement and Analysi	
September 3-5, 2001, San F		(Name of Confer	ence)	
	(Date, Place and Classifica	ation of Conference)		
and/or for publication in _	(Name and Classification of Publication)		(Name of Publisher)	
After presentation or publication, pertinent publication/presentation data will be entered in the publications data base, in accordance with reference (a). It is the opinion of the author that the subject paper (is) (is not_X_) classified, in accordance with reference (b). This paper does not violate any disclosure of trade secrets or suggestions of outside individuals or concerns which have been communicated to the Laboratory in confidence. This paper (does) (does not_X_) contain any militarily critical technology.				
This subject paper (has) (has never) been incorporated in an official NRL Report. K. T. Holland, NRL Code 7440.3				
K. I. Holland, NRL C	ode 7440.3			
Name and	ode 7440.3 Code (<i>Principal Author</i>)		(Signature)	
Name and 5. ROUTING/APPROVAL	Code (Principal Author)	T I	(Signature)	
Name and 5. ROUTING/APPROVAL CODE		DATE		
Name and 5. ROUTING/APPROVAL	Code (Principal Author)	DATE 10/16/00	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s)	Code (Principal Author)	1. /	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s)	Code (Principal Author)	1. /	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s)	Code (Principal Author)	1. /	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head	Code (Principal Author)	1. /	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A Branch Head actions	Code (Principal Author)	1. /	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A	SIGNATURE SIGNATURE A COLUMN ACCORDANCE AC	10/1/6/00	(Signature)	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A Branch Head Harris Division Head Action 1400 ValenT	SIGNATURE SIGNATURE A COLUMN ACCORDANCE AC	10/1/6/00	(Signature) COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas)	
Section Head N/A Branch Head Author(s) Holland Section Head N/A Branch Head Harris Division Head Author(s) Feppert Security, Code 1221.1 Office of Counsel, Code \$008.2	SIGNATURE SIGNATURE A COLUMN ACCORDANCE AC	10/1/6/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A Branch Head Harris Division Head, Harris Division Head, Code 1221.1 Security, Code 1221.1	SIGNATURE SIGNATURE A COLUMN ACCORDANCE AC	10/16/00 10/16/00 10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas	
Section Head N/A Branch Head Author(s) Holland Section Head N/A Branch Head Harris Division Head Author(s) Feppert Security, Code 1221.1 Office of Counsel, Code \$008.2	SIGNATURE SIGNATURE DE FORM HOUSE Though J. Malent Navigh Carlos WWW. Dall	10/16/00 10/16/00 10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas	
Name and 5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A Branch Head Harris Division Head, Harris Division Head, Code #1221.1 Office of Counsel, Code #008.2 ADOR/Director NCST	SIGNATURE SIGNATURE DESIGNATURE DESIGNATU	10/16/00 10/16/00 10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas	

6. DISTRIBUTION STATEMENTS (Author to check appropriate statement and fill in reason as required)					
A - Approved for public release, distribution is unlimited.					
B - Distribution authorized to U.S. Government agencies only (check reason below): Foreign Government Information Contractor Performance Evaluation Critical Technology Proprietary Information Administrative/Operational Use Premature Dissemination Test and Evaluation Software Documentation Cite "Specific Authority Date statement applied Other requests for this document shall be referred to	(Identification of valid				
C - Distribution authorized to U.S. Government agencies and their contractors (check reason below):					
Foreign Government Information Administrative/Operational Use Critical Technology Date statement applied Other requests for this document shall be referred to	(Identification of valid				
(Insert Controlling DOD D - Distribution authorized to DOD and DOD contractors only (check reason below):					
Foreign Government Information Software Documentation Administrative/Operational Use Date statement applied Other requests for this document shall be referred to	.				
Other requests for this document shall be referred to (Insert Controlling DOD					
E - Distribution authorized to DCD components only (check reason below): O Proprietary Information Foreign Government Information Administrative/Operational Use Other requests for this document shall be referred to	(Identification of valid				
F - Further dissemination only as directed by					
// (Insert Controlling DOD Date statement applied or higher DOD authority					
X - Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with regulations implementing 10 U.S.C. 140c. Date statement applied					
Other requests for this document shall be referred to (Insert Controlling DOD					
*For NRL publications, this is usually the Commanding Officer, Naval Research Laboratory, Washington, DC 20375-5320					
7. OTHER LIMITATION					
Classification only NOFORN DTIC exempt (explain) Substantive changes made in this document after approval by Classification Review these reviews. Therefore, if any substantive changes are made by the author, Tech the document must be returned for another Classification Review and Public Releas	nnical Information, or anyone else,				
8. INSTRUCTIONS					
Author completes and submits this form with the manuscript via line channels to the division head for rev the routing in section 4. 1. NRL ReportsSubmit the diskette (if available), manu	-				
complete with tables, illustrations, references, o proposed distribution list.					
NRL Memorandum Reports					
3. NRL Publications or other books, brochures, pamphlets,	echnical Information Office.				

To be submitted to waves 2001 Symposium Sept 3-5 2001 1005

Measurement of Physical Model Wave Diffraction Patterns Using Video

William R. Curtis¹, Kent Hathaway², William C. Seabergh³ and Todd K. Holland⁴

The complex interaction of surface waves with coastal inlet structures and inlet morphology is of significant importance to navigation channel operation and maintenance. Wave data in the vicinity of coastal inlets are limited. Where field wave data exist, the temporal and spatial coverage is inadequate to resolve the evolution of wave refraction and diffraction patterns of the free surface. To address the challenge of quantifying variations in wave direction in the coastal system, the US Army Engineer Research and Development Center applied video techniques in a physical model to obtain spatially and temporally dense measurements of wave direction. These measures are required to advance understanding of first-order inlet processes and to use the measurements in numerical simulation model development and verification. In this paper, detailed results are discussed for random and a single monochromatic wave experiments conducted for evaluation of wave diffraction patterns influenced by coastal structures and coastal inlet bathymetry.

The video system consists of ground-controlled camera stations mounted at vantage points above the free surface of the physical model. The close range of the camera stations from the area of interest (<10 m), allows for a horizontal spatial resolution on the order of 1 cm. As many as six-camera stations are used to provide broad spatial coverage of the physical model's coastal processes. Video data are collected at a rate of 30 Hz and pixel intensity time series are digitized at locations of interest within the physical model. Pixel array data are then processed using spectral analysis methods to determine variance

¹ Corresponding Author, US Army Engineer Research and Development Center, Coastal and Hydraulics Laboratory, 3909 Halls Ferry Road, Vicksburg, MS 39180, USA. Voice: (601) 634-3040, Facsimile: (601) 634-3080, Email: CURTISW@wes.army.mil

² US Army Engineer Research and Development Center, Field Research Facility, 1261 Duck Road, Kitty Hawk, NC 27949, USA. Voice: (252) 261-6840, Facsimile: (252) 261-4432, Email: HATHAWK@wes.army.mil

³ US Army Engineer Research and Development Center, Coastal and Hydraulics Laboratory, 3909 Halls Ferry Road, Vicksburg, MS 39180, USA. Voice: (601) 634-3788, Facsimile: (601) 634-3080, Email: SEABERW@wes.army.mil

⁴ US Naval Research Laboratory, Code 7442 Building 2438, Stennis Space Center, MS 39729-5004, USA. Voice: (228) 688-5320, Facsimile: (228) 688-4476, Email: tholland@nrlssc.navy.mil

and directional spectral estimates. These *virtual* wave gage arrays may be located anywhere in a camera's field of view. Figure 1 demonstrates the utility of the system, as measurement of peak wave direction from a single camera view is indicated at 305 locations in the diffraction zone of an idealized coastal inlet.

Preliminary comparison of video-derived frequency-directional spectra with co-located acoustic doppler velocimetry (ADV) measurements indicates a high degree of accuracy. As shown in Figure 2, *in situ* and remotely sensed variance spectra have a similar shape over the frequency bands of interest and spectral peaks coincide. Near the spectral peak, wave directions are typically within 5° of the ADV measurements.




Figure 1 Video-derived Peak wave direction vectors superimposed on rectified frame collected during a random wave test. Vectors scaled by wave celerity.




Figure 2 Co-located measurements from *in situ* ADV probe and two camera stations for a random wave test case with $f_{peak} = 1.25$ sec. Dashed lines represent simulated high and low wave frequency content.